



TestPro Selection Guide



For more information, visit www.aem-test.com/TestPro

For any inquiries, contact us at sales@aem-test.com



Smart Building Test Kits

Feature supported

Feature is not part of kit but can be added with hot swappable test adapters

Test Function	TestPro K60E	TestPro K61E	TestPro K71E	
Cat3 - Cat8 Channel and Permanent Link Certification with Detailed Printed Reports	•	•	•	
DC Resistance Unbalance	•		•	
Copper Wiremap with Distance to Fault	•		•	
ingle Pair Ethernet				
MM and SM Tier 1 Fiber Certification	•		•	
MM OTDR	•			
SM OTDR				
MM and SM Tier 2 Fiber Certification	•			
Hybrid Powered Fiber Resistance & Voltage Test	•		•	
PoE Load and Validation Testing	•		•	
/Julti-Gig Autotest	•	•	•	
/lulti-Gig (2.5/5/10G) SNR	•			
00/100BASE-T SNR Testing	•	•	•	
BASE-T Network Connectivity	•	•	•	
Vireless Network Connectivity** AP Availability, Signal Strength, Ping, etc)	•	•	•	
estDataPro Results Management Software - PC Based & Cloud	•	•	•	

^{**}Requires Edimax EW-7822ULC Wi-Fi USB Adapter purchased separately from Amazon or other component provider of your choice.

Optional test adapters available to support SPE, MPTL, Patch Cord, Coax, Bare Wire, and much more. Visit the TestPro product page on the website to learn more.

Feature supported

Feature is not part of kit but can be added with hot swappable test adapters

Test Function	TestPro K50E	TestPro K51E	TestPro K41E	TestPro K21E-QD	TestPro K21E-SM	TestPro K21E-MM	TestPro K11E**
Cat3 - Cat8 Channel and Permanent Link Certification with Detailed Printed Reports							
DC Resistance Unbalance							
Copper Wiremap with Distance to Fault							
Single Pair Ethernet							
MM and SM Tier 1 Fiber Certification							
MM OTDR							
SM OTDR					•		
MM and SM Tier 2 Fiber Certification							
Hybrid Powered Fiber Resistance & Voltage Test							
PoE Load and Validation Testing							
Multi-Gig Autotest							
Multi-Gig (2.5/5/10G) SNR							
100/100BASE-T SNR Testing							
BASE-T Network Connectivity							
Wireless Network Connectivity** (AP Availability, Signal Strength, Ping, etc)			•				
TestDataPro Results Management Software - PC Based & Cloud	•						

^{**}Requires Edimax EW-7822ULC Wi-Fi USB Adapter purchased separately from Amazon or other component provider of your choice.

Optional test adapters available to support SPE, MPTL, Patch Cord, Coax, Bare Wire, and much more. Visit the TestPro product page on the website to learn more.

***K11E is also available in SM-Only and MM-Only versions